


SURVEY SPECIFICATIONS

Date flown	1993	Data reduction by	AGSO
Flown by	AGSO	IGRF	Removed
Flight line spacing	400 m	Geodetic datum	AGD68
Flight line direction	80 - 270 degrees	Map projection	Transverse Mercator AMG 51
Tie line spacing	4000 m	Griding by	GSWA (Intrepid v3.1)
Tie line direction	0 - 180 degrees	Grid cell	100 m
Terrain clearance	100 m	Image processing by	GSWA (ER Mapper v5.1)
Navigation	GPS	illumination	Azimuth 45 Elevation 45
Sample interval	7 m	Compiled by	J.H. Watt
		Geophysical project manager	G. Steenson

Published by the Geological Survey of Western Australia. Copies available from the Mining Information Centre, Department of Minerals and Energy, 100 Plain Street, East Perth, WA 6004. Phone (08) 222 3458, Fax (08) 222 3444.

Digital data available from AGSO Geophysical Mapping, GPO Box 378, CANBERRA, ACT 2601. Phone (06) 249 9223, Fax (06) 249 9988.

The recommended reference for this map is: GEOLOGICAL SURVEY OF WESTERN AUSTRALIA, 1996, Darlot, W.A., Sheet 3142, Western Australia Geological Survey, Total Magnetic Intensity Image.



SHEET INDEX		
YELBURIE 2948	MOUNT KEITH 3048	WANGGANNOD 3142
DEPOT SPRINGS 2942	SIR SAMUEL 3042	DARLOT 3142

WARNING: Inks are water soluble and will fade with prolonged exposure to light



GOVERNMENT OF WESTERN AUSTRALIA
HON. ALVIN MASON, M.L.A.
MINISTER FOR MINES



DEPARTMENT OF MINERALS AND ENERGY
K.R. PERRY, DIRECTOR GENERAL




AGSO
AUSTRALIAN GEOLOGICAL SURVEY OF WESTERN AUSTRALIA



PETER GILL
DIRECTOR, GEOLOGICAL SURVEY
OF WESTERN AUSTRALIA

NGMA

PRODUCT OF THE NATIONAL
GEOSCIENCE MAPPING ACCORD



TRANSVERSE MERCATOR PROJECTION
Grid lines indicate 10 000 metre interval of the Australian Map Grid Zone 51

DARLOT
SHEET 3142
Total Magnetic Intensity

FIRST EDITION 1996
© Western Australia